

# Safety Data Sheet



According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

Revision Date : 20.05.2015

	n	
1.1. Product identifier		
Product Name : A		Artime ECO-GREEN
	EK-177,EK-199 Color : (Red)	
A	Artline REFILL INK FOR ECO-GREEN	4
	ESK-ND Color : (Red)	花
1.2. Recommended use of th	ne chemical and restrictions on use	
Recommended use : F	Permanent marker ink	3 
1.3. Details of the supplier of	the safety data sheet	AND
Address : 2 Telephone : 1 Fax : 1	Shachihata Inc. (U.S.A.) 20775 S. Western Ave., Suite 105 Torrance, CA 90501 U.S.A. -800-541-9719 -800-541-7166 sustomerservice@xstamper.com	
1.4. Emergency telephone no CHEMTREC 1-800-42 (For Hazardous mater		
SECTION 2: Hazard(s) id	lentification	
United States (US) : Acc	ording to OSHA 29 CFR 1910.1200 HCS 2012	
	eye irritation, Category 1 H318 : Causes serious eye da oxicity ; single exposure, Category 3 H336 : May cause drowsiness	amage
2.1.2 Label elements Hazard pictograms :	( narcotic effects)	5 01 0122111635
Hazard pictograms :		5 01 0122111635
Hazard pictograms : Signal word :	Danger	
Hazard pictograms :		(H225) (H318)
Hazard pictograms : Signal word :	Danger Highly flammable liquid and vapour	(H225)
Hazard pictograms : Signal word :	Image: White State       Image: White State         Danger       Image: State         Highly flammable liquid and vapour         Causes serious eye damage	(H225) (H318)
Hazard pictograms : Signal word : Hazard statement : Precautionary statement [Prevention]	Image: White State       Image: White State         Danger       Image: State         Highly flammable liquid and vapour         Causes serious eye damage	(H225) (H318)
Hazard pictograms : Signal word : Hazard statement : Precautionary statement [Prevention] Keep away from heat/spa Take precautionary meas	Image: Note: Note	(H225) (H318) (H336)
Hazard pictograms : Signal word : Hazard statement : Precautionary statement [Prevention] Keep away from heat/spa Take precautionary meas Wear protective gloves/pr	Image: White State       Image: White State         Danger       Image: White State         Highly flammable liquid and vapour       Causes serious eye damage         May cause drowsiness or dizziness       No smoking.         rks/open flames/hot surfaces No smoking.       Image: White State         otective clothing/eye protection/face protection.	(H225) (H318) (H336) (P210) (P243) (P280)
Hazard pictograms : Signal word : Hazard statement : Precautionary statement [Prevention] Keep away from heat/spa Take precautionary meas Wear protective gloves/pr Avoid breathing dust/fume	Image: Note: Note	(H225) (H318) (H336) (P210) (P243) (P280) (P261)
Hazard pictograms : Signal word : Hazard statement : Precautionary statement [Prevention] Keep away from heat/spa Take precautionary meas Wear protective gloves/pr	Image: With the second seco	(H225) (H318) (H336) (P210) (P243) (P280)
Hazard pictograms : Hazard pictograms : Signal word : Hazard statement : Precautionary statement [Prevention] Keep away from heat/spa Take precautionary meas Wear protective gloves/pr Avoid breathing dust/fume Use only outdoors or in a Wash hands thoroughly a [Response]	Image: With the second seco	(H225) (H318) (H336) (P210) (P243) (P280) (P261) (P271)
Hazard pictograms : Hazard pictograms : Hazard statement : Hazard statement : Precautionary statement [Prevention] Keep away from heat/spat Take precautionary meas Wear protective gloves/pr Avoid breathing dust/fume Use only outdoors or in a Wash hands thoroughly a [Response] In case of fire : Use	With the second seco	(H225) (H318) (H336) (P210) (P243) (P280) (P261) (P271) (P264) (P370+P378)

Rer	nove contact lenses, if present and easy to do. Continue rinsing.	
If eye irritation persists	: Get medical advice/attention.	(P337+P313)
IF ON SKIN (or hair)	: Remove/Take off immediately all contaminated clothing.	(P303+P361+P353)
	Rinse skin with water/shower.	
If skin irritation occurs	: Get medical advice/attention.	(P332+P313)
IF SWALLOWED	: Get medical advice/attention if you feel unwell.Rinse mouth.	(P301+P314+P330)
[Storage]		
Store in a well-ventilated	place. Keep container tightly closed.	(P403+P233)
[Disposal]		
Dispose of contents/cont	ainer to waste in accordance with	(P501)
local/regional/ nationa	l/international regulation (to be specified).	

#### 2.1.3 Other hazards

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

#### Canada : According to WHMIS


- 2.2.1 Classification of the substance or mixture
  - Class B2 : Flammable Liquids
  - Class D2B : Eye irritation
- 2.2.2 Label elements



#### 2.2.3 Other hazards

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS)

#### 2.3 Other information



#### SECTION 3: Composition/information on ingredients

Chemical Name /	Composition	CAS	Classification (OSHA HCS 2012)			
Generic name	weight %	Registry No.	Hazard Class	Hazard statement		
Propan-1-ol	75 ~ 85	71-23-8	Flam.Liq. 2 Eye Dam. 1 STOT.SE. 3	H225 H318 H336		
Benzyl alcohol	1 ~ 5	100-51-6	Acute Tox.(oral) 4 Acute Tox.( inhal.) 4	H302 H332		
Synthetic resin	5 ~ 15	Confidential	none	none		
Dyestuff	1 ~ 10	Confidential	none	none		
Additive	1 ~ 5	Confidential	none	none		
total	100					

# SECTION 4: First-aid measures

4.1. Description of	first aid measures
IF INHALED	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN

: Remove/Take off immediately all contaminated clothing.Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice. [ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EK-177\_red\_d] 3/6

- IF IN EYES
- S : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists, get medical advice/attention.
- IF SWALLOWED : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly.Moreover, do not give anything from the mouth to the patient when not conscious.Receive the doctor's treatment (stomach pump) promptly.

Note to Physicians :

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## SECTION 5: Fire-fighting measures

- 5.1. Extinguishing media
   Suitable extinguishing media
   Dry chemical powder, foam or carbon dioxide
   Unsuitable extinguishing media
   Water jet
- 5.2. Special hazards arising from the substance or mixtureFor initial stage extinction, carbon dioxide or dry chemical powder.When a fire extends, fire is extinguished by a large amount of water spray.Do not discharge extinguishing waters into the aquatic environment.
- 5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

# SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe area. Shut off all sources of ignition. No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.
  6.2. Environmental precautions Do not throw the leakage thing directly into environment
  6.3. Methods and material for containment and cleaning up In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth,etc.),
  - and then wipe off the waste well with waste cloth, and rag. In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like.

# SECTION 7: Handling and storage

 7.1. Precautions for safe handling

 Advice on safe handling
 : Use with adequate ventilation.

 Avoid contact with skin, eyes and clothing.

 Obtain special instructions before use.

 Do not handle until all safety precautions have been read and understood.

 Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage areas and containers
Keep away from heat and flame,ignition source and sunlight.
Keep out of the reach of children.

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters ACGIH (2013) Propan-1-ol	TWA	100ppm
OSHA PEL Propan-1-ol	TWA	200ppm
Canada Ontario Provincial Propan-1-ol	TWA	100ppm
Canada Quebec Provincial Propan-1-ol	TWA	200ppm

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EK-177\_red\_d] 4/6

#### 8.2. Exposure controls

Personal protective equipment Respiratory Protection : Use with local exhaust ventilation, when in long use.						
,	Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.					
Hand Protection	: Avoid contact with hands. Wear safety gloves, if necessary.					
Eye Protection	: Avoid contact with eyes. Wear safety glasses, if necessary.					
Skin Protection	: Avoid skin contact. Wear personal protection apron,boots, if necessary.					
Environmental exposure controls						
<b>A I I I</b>						

 General advice
 : Prevent product from entering drains.

 Prevent further leakage or spillage if safe to do so.

 If the product contaminates rivers and lakes or drains inform respective authorities.

# SECTION 9: Physical and chemical properties

I Information on basic physical and che Appearance	emical properties : red liquid				
Odor		minor solvent odor			
рН		Not applicable			
Boiling point	:	No data available			
Flash point	:	77 °F (25 °C) (closed cup)			
Relative Density (at 77 °F , 25 °C)	:	$0.8 \sim 0.9$ (g/cm <sup>3</sup> )			
Solubility in Water	:	Insoluble			

# SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

- 10.3. Chemical stability
- The product is stable.
- 10.4. Conditions to Avoid High temperature, Direct sunlight, Fire
- 10.5. Incompatible Materials
- No data available
- 10.6. Hazardous decomposition products
  - $CO, CO_2$

# **SECTION 11: Toxicological information**

11.1. Information on toxicological et	ffeo	cts			
Acute toxicity	: LD/LC50 values that are relevant for classification				
		[Propan-1-ol]			
		Oral-rat	LD50	1,870mg/kg	
		Dermal-rabbit	LD50	4,060mg/kg	
		Inhalation-rat	LC50	4,000mg/l/4H	
		[Benzyl alcohol]			
		Oral-rat	LD50	1,610mg/kg	
		Dermal-rabbit	LD50	2,000mg/kg	
		Inhalation-rat	LC50	>4,178mg/l/4H	
Serious eye damage /eye irritation	:	Category 1	Causes serious	eye damage	
Specific target organ toxicity (single exposure)	:	Category 3	May cause drow	vsiness or dizziness	
Carcinogenicity	:	•		component that is considered GIH, OSHA or NTP .	

## SECTION 12: Ecological information

12.1. Ecotoxicity	:	No	data	available
12.2. Persistence and degradability	:	No	data	available
12.3. Bioaccumulative potential	:	No	data	available
12.4. Mobility in soil	:	No	data	available

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EK-177\_red\_d] 5/6

12.5. Other adverse effects

: No known significant effects or critical hazards.

#### SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

SECTION 14: Transport information						
14.1. UN number	DOT, TDG, IMO / IMDG, IATA / ICAO	: UN1210				
14.2. UN proper shipping name	DOT, TDG, IMO / IMDG, IATA / ICAO	: PRINTING INK,flammable				
14.3. Transport hazard class(es)	DOT, TDG, IMO / IMDG, IATA / ICAO · Class · Label	: 3 (Flammable liquids.) 3				
14.4. Packing group	DOT, TDG, IMO / IMDG, IATA / ICAO	: II				
14.5. Environmental hazards	Marine pollutant	: No				
14.6. Special precautions for user	EMS Number	: F-E,S-D				
14.7. Transport in bulk according to MARPOL 73/78 and the IBC		: Not applicable.				

☆☆

S

Artline ECO-GREEN PERMANENT MARKER (EK-177, EK-199) is not a hazardous material by the special provision.

Artline ECO-GREEN PERMAN	ENT MARKER (EK-177,EK-199)	(Amount of ink : less than 10ml)	
UN number	: UN3175		
UN proper shipping name	: Solids containing Flammable L	iquid. n.o.s.	
IATA	Special Provision A46		
IMDG Code	Special Provision 216		

According to IATA Special Provision A46, and IMDG Code Special Provision 216, small inner packagings consisting of sealed packets and articles containing less than 10 mL of a Class 3 liquid in Packing Group II or III absorbed onto a solid material are not subject to as a hazardous material/dangerous goods provided there is no free liquid in the packet or article.

# SECTION 15: Regulatory information

<	< USA Information >			
	OSHA STATUS : This product is hazardous une	der 29 CFR 1910.1200.		
	TSCA inventory : All components of this produc	t are listed in the TSCA	I	nventory.
	TSCA Hazard Communication Program (40 CFR Pa	art 721) (SNUR) :		not Listed
	EPCRA Section 302 Extremely Hazardous Substan	ces (EHS) :		not Listed
	EPCRA Section 313 Toxic Chemicals	:		not Listed
	CERCLA Hazardous Substances	:		not Listed
	CAA Section 112(r) List of Substances for Accidenta	al Release Prevention:		not Listed
	California Proposition 65	:		not Listed

< Canada Information >

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Canada inventory : All components of this product are listed in the DSL/NDSL Inventory.

WHMIS Ingredient Disclosure List (SOR/88-64)

(WHMIS : Canadian Workplace Hazardous Material Information System)

: Propan-1-ol, Benzyl alcohol

#### SECTION 16: Other information, including date of preparation or last revision

Last Revision Date Preparation Date

: 20.05.2015



:

EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC) This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.