

# Safety Data Sheet



According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

Revision Date : 29.05.2015

(P273)

## **SECTION 1: Identification**

	oution		
1.1. Product identifier			
Product Name	: Artline 900 XF GOLD&SILVER	EK-900XF	Color : (Gold)
	Artline 990 XF GOLD&SILVER	EK-990XF	
	Artline 999 XF GOLD&SILVER	EK-999XF	Artine 900XF GOLD
	Artline Calligraphy Pen GOLD&SILVE	R EK-993XF	
1.2. Recommended us	se of the chemical and restrictions on use	9	Art
Recommended us	e : Paint marker ink		
1.3. Details of the sup	plier of the safety data sheet		m
Company Name Address Telephone Fax Contact (e-mail)	<ul> <li>Shachihata Inc. (U.S.A.)</li> <li>20775 S. Western Ave., Suite 105 Torn</li> <li>1-800-541-9719</li> <li>1-800-541-7166</li> <li><u>customerservice@xstamper.com</u></li> </ul>	rance, CA 90501 U.S.	Α.
1.4. Emergency teleph			
CHEMTREC 1- (For Hazardou	800-424-9300 s materials or dangerous goods incident,Spil	l leak fire exposure	or accident)
-			
ECTION 2: Hazard	(S) identification : According to OSHA 29 CFR 1910.1200 H		
Skin corrosion / irritat Specific target organ Hazardous to the aqu chronic toxicity, Ca 2.1.2 Label elements Hazard pictograms	toxicity - single exposure, Category 3 latic environment, ategory 2	H336 : May cau	skin irritation use drowsiness or dizziness aquatic life with long lasting effects
Signal word	: Danger	•	
Hazard statement	: Highly flammable liquid and vapour		(H225)
	May be fatal if swallowed and enter	s airways	(H304)
	Causes skin irritation		(H315)
	May cause drowsiness or dizziness		(H336)
	Toxic to aquatic life with long lasting	g effects	(H411)
Precautionary statem	ient		
Keep away from h	eat/sparks/open flames/hot surfaces No sn	noking.	(P210)
Take precautionar	y measures against static discharge.		(P243)
Wear protective gl	oves/protective clothing/eye protection/face p	protection.	(P280)
Avoid breathing du	ust/fume/gas/mist/vapours/spray.		(P261)
-	or in a well-ventilated area.		(P271)
Wash hands thoro	ughly after handling.		(P264)
A 1 I I I I	• •		(= )

Avoid release to the environment.

[Response]

#### [ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EK-900(MCH)\_gold\_c] 2/6

In case of fire : Use dry chemical powder, form or carbon dioxide for extinction.	(P370+P378)
IF SWALLOWED : Immediately call a POISON CENTER or doctor/physician.	(P301+P310)
Get medical advice/attention if you feel unwell. Rinse mouth.	(P301+P314+P330)
IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.	(P304+P340)
IF IN EYES : Rinse cautiously with water for several minutes.	(P305+P351+P338)
Remove contact lenses, if present and easy to do. Continue rinsing.	
If eye irritation persists : Get medical advice/attention.	(P337+P313)
IF ON SKIN (or hair) : Remove/Take off immediately all contaminated clothing.	(P303+P361+P353)
Rinse skin with water/shower.	
IF ON SKIN : Wash with plenty of soap and water.	(P302+P352)
If skin irritation occurs : Get medical advice/attention.	(P332+P313)
Do NOT induce vomiting.	(P331)
Collect spillage.	(P391)
[Storage]	
Store in a well-ventilated place. Keep container tightly closed.	(P403+P233)
[Disposal]	
Dispose of contents/container to waste in accordance with	(P501)
local/regional/ national/international regulation (to be specified).	

### 2.1.3 Other hazards

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### Canada : According to WHMIS


- 2.2.1 Classification of the substance or mixture Class B2 : Flammable Liquids
- 2.2.2 Label elements



2.2.3 Other hazards

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS)

## 2.3 Other information



## SECTION 3: Composition/information on ingredients

Chemical Name /	Composition	CAS	Classification (OSHA HCS 2012)	
Generic name	weight %	Registry No.	Hazard Class	Hazard statement
Methylcyclohexane	30 ~ 40	108-87-2	Flam.Liq. 2 Asp. Tox. 1 Skin Irrit.2 STOT.SE. 3	H225 H304 H315 H336
			Aquatic Chronic 2	H411
Isoparaffinic Hydrocarbon	1 ~ 10	64742-48-9	Flam.Liq. 3 Asp. Tox. 1 Aquatic Chronic	H226 H304 H411
Synthetic resin	25 ~ 35	Confidential	none	none
Brass (Copper)	25 25	7440-50-8	none	none
(Zinc)	25 ~ 35	7440-66-6	none	none
total	100			

## SECTION 4: First-aid measures

4.1. Description of first aid measures						
IF INHALED	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist.					
IF ON SKIN	: Remove/Take off immediately all contaminated clothing.Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.					
IF IN EYES	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists, get medical advice/attention.					
IF SWALLOWED	: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient when not conscious. Receive the doctor's treatment (stomach pump) promptly.					
Note to Physicians :						
All treatments shoul	d be based on observed signs and symptoms of distress in the patient					

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## SECTION 5: Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical powder, foam or carbon dioxide
Unsuitable extinguishing media	: Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder. When a fire extends, fire is extinguished by a large amount of water spray. Do not discharge extinguishing waters into the aquatic environment.

5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency proceduresEvacuate personnel to safe area. Shut off all sources of ignition.No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up
In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth,etc.), and then wipe off the waste well with waste cloth, and rag.
In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like.

## SECTION 7: Handling and storage

7.1. Precautions for safe ha	ndling
Advice on safe handling	: Use with adequate ventilation.
Avoid contact with skin, eyes and clothing.	
	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Do not eat, drink or smoke when using this product.
7.2. Conditions for safe stor	age, including any incompatibilities
Requirements for storage	: Keep containers tightly closed and store in a cool and dry place.
areas and containers	Keep away from heat and flame, ignition source and sunlight.
	Keep out of the reach of children.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ACGIH (2013) Methylcyclohexane

TWA

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EK-900(MCH)\_gold\_c] 4/6

OSHA PEL	<b>T</b> ) A / A	500
Methylcyclohexane	TWA	500ppm
Canada Ontario Provincial	<b>T</b> ) A / A	100
Methylcyclohexane	TWA	400ppm
Canada Quebec Provincial Methylcyclohexane	TWA	400ppm
Methylcyclonexarie		400ppin

### 8.2. Exposure controls

Personal protective equipment					
Respiratory Protection	: Use with local exhaust ventilation, when in long use.				
Avoid breathing vapours. Wear mask to prevent organic gas, if necess					
Hand Protection	: Avoid contact with hands. Wear safety gloves, if necessary.				
Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.					
Skin Protection	: Avoid skin contact. Wear personal protection apron, boots, if necessary.				
Environmental exposure controls					
General advice : Prevent product from entering drains.					
	Prevent further leakage or spillage if safe to do so.				

If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

Appearance	: gold liquid
Odor	: minor solvent odor
рН	: Not applicable
Boiling point	: No data available
Flash point	: 26.6 °F (-3 °C) (closed cup)
Relative Density (at 77 °F , 25 °C)	: 1.0 ~ 1.2 (g/cm <sup>3</sup> )
Solubility in Water	: Insoluble

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

- 10.3. Chemical stability
  - The product is stable.

10.4. Conditions to Avoid

- High temperature, Direct sunlight, Fire
- 10.5. Incompatible Materials
  - No data available
- 10.6. Hazardous decomposition products CO, CO<sub>2</sub>

## SECTION 11: Toxicological information

11.1. Information on toxicological	effects					
Acute toxicity	: LD/LC50 values t	: LD/LC50 values that are relevant for classification				
	[Methylcyclohexa	ne]				
	Oral-rat	LD50	>5,000mg/kg			
	Inhalation-rat	LC50	23.3 mg/l/4H			
	Dermal-rabbit	LD50	>2,000mg/kg			
	[Isoparaffinic Hyd	lrocarbon]				
	Oral-rat	LD50	>5,000mg/kg			
	Inhalation-rat	LC50	>5,000mg/m <sup>3</sup>			
	Dermal-rabbit	LD50	>5,000mg/kg			
Aspiration toxicity, Category 1	: Category 1	May be fatal if	swallowed and enters airways.			
Skin corrosion / irritation	: Category 2	Causes skin irr	ritation.			
Specific target organ toxicity	: Category 3	May cause dro	wsiness or dizziness.			

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EK-900(MCH)\_gold\_c] 5/6

single exposure

Carcinogenicity

: This product does not contain any component that is considered a human carcinogen by IARC, ACGIH, OSHA or NTP .

### SECTION 12: Ecological information

- 12.1. Ecotoxicity
- 12.2. Persistence and degradability
- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Other adverse effects
- : No data available

: Category 2 Toxic to aquatic life with long lasting effects

- : No known significant effects or critical hazards.

: No data available

: No data available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

## SECTION 14: Transport information

14.1. UN number	DOT, TDG, IMO / IMDG, IATA / ICAO	:	UN1210	
14.2. UN proper shipping name	DOT, TDG, IMO / IMDG, IATA / ICAO	:	PRINTING INK,flammable	•
14.3. Transport hazard class(es)	DOT, TDG, IMO / IMDG, IATA / ICAO · Class · Label	:	3 (Flammable liquids.) 3	
14.4. Packing group	DOT, TDG, IMO / IMDG, IATA / ICAO	:	Ш	
14.5. Environmental hazards	Marine pollutant	:	No	
14.6. Special precautions for user	EMS Number	:	F-E,S-D	
14.7. Transport in bulk according to MARPOL 73/78 and the IBC		:	Not applicable.	

## SECTION 15: Regulatory information

#### < USA Information > OSHA STATUS : This product is hazardous under 29 CFR 1910.1200. : All components of this product are listed in the TSCA Inventory. TSCA inventory TSCA Hazard Communication Program (40 CFR Part 721) (SNUR) : not Listed EPCRA Section 302 Extremely Hazardous Substances (EHS) : not Listed **EPCRA Section 313 Toxic Chemicals** : not Listed **CERCLA Hazardous Substances** : not Listed CAA Section 112(r) List of Substances for Accidental Release Prevention : not Listed California Proposition 65 not Listed < Canada Information > This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Canada inventory : All components of this product are listed in the DSL/NDSL Inventory.

WHMIS Ingredient Disclosure List (SOR/88-64)

: Methylcyclohexane

(WHMIS : Canadian Workplace Hazardous Material Information System)

## SECTION 16: Other information, including date of preparation or last revision

Last Revision Date : Preparation Date :

: 29.05.2015 : 24.12.2013



EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC) This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.