

Safety Data Sheet



According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

Revision Date : 29.05.2015

SECTION 1: Identification					
1.1. Product identifier					
Product Name : Artline POSTER MARKER Color : (Metallic purple)					
EPP-4	POSTER MARKER				
 1.2. Recommended use of the chemical and restrictions on use Recommended use : Marker ink 1.3. Details of the supplier of the safety data sheet Company Name : Shachihata Inc. (U.S.A.) Address : 20775 S. Western Ave., Suite 105 Torrance, CA 90501 U.S.A. Telephone : 1-800-541-9719 Fax : 1-800-541-7166 					
Contact (e-mail) : <u>customerservice@xstamper.com</u>					
 1.4. Emergency telephone number CHEMTREC 1-800-424-9300 (For Hazardous materials or dangerous goods incident,Spill, leak, fire, exposure or accider 	nt)				
SECTION 2: Hazard(s) identification					
Flammable liquids, Category 3 H226 : Flammable liquid an 2.1.2 Label elements Note: Hazard pictograms : This product does not need to be considered as the liquids for Recommendations on the TRANSPOR DANGEROUS GOODS,UNITED NATIONS. Refer to section 9 and 14.	flammable				
Signal word : Warning					
Hazard statement : Flammable liquid and vapour	(H226)				
Precautionary statement [Prevention]					
Keep away from heat/sparks/open flames/hot surfaces No smoking.	(P210)				
Wash hands thoroughly after handling. 【Response】	(P264)				
In case of fire : Use dry chemical powder,form or carbon dioxide for extinction. IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.	(P370+P378) (P304+P340)				
IF IN EYES : Rinse cautiously with water for several minutes.	(P305+P351+P338)				
Remove contact lenses, if present and easy to do. Continue rinsing.					
If eye irritation persists : Get medical advice/attention. IF SWALLOWED : Get medical advice/attention if you feel unwell.Rinse mouth. [Storage]	(P337+P313) (P301+P314+P330				
Store in a well-ventilated place. Keep container tightly closed. [Disposal]	(P403+P233)				
Dispose of contents/container to waste in accordance with local/regional/ national/international regulation (to be specified).	(P501)				

2.1.3 Other hazards

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

- : According to WHMIS Canada
- 2.2.1 Classification of the substance or mixture
 - Class B2 : Flammable Liquids
- 2.2.2 Label elements




2.2.3 Other hazards

In Canada, the product mentioned above is considered hazardous

under the Workplace Hazardous Materials Information System (WHMIS)

2.3 Other information



SECTION 3: Composition/information on ingredients

Chemical Name /	Composition	CAS	Classification (OSHA HCS 2012)		
Generic name	weight %	Registry No.	Hazard Class	Hazard statement	
Ethanol	1 ~ 10	64-17-5	Flam.Liq.2	H225	
1-methoxypropan-2-ol	1 ~ 5	107-98-2	Flam.Liq.3 STOT.SE. 3	H226 H336	
Water	70 ~ 80	7732-18-5	none	none	
Synthetic resin	1 ~ 10	Confidential	none	none	
Aluminium	1 ~ 10	7429-90-5	none	none	
Organic pigment	1 ~ 5	Confidential	none	none	
Others	1 ~ 10	Confidential	none	none	
total	100				

1

2

0

SECTION 4: First-aid measures

4.1. Description of first aid measures IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist. IF ON SKIN : Remove/Take off immediately all contaminated clothing.Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice. IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists, get medical advice/attention. IF SWALLOWED : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient when not conscious. Receive the doctor's treatment (stomach pump) promptly.

Note to Physicians :

All treatments should be based on observed signs and symptoms of distress in the patient.

Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media

: Dry chemical powder, foam or carbon dioxide : none

- 5.2. Special hazards arising from the substance or mixtureFor initial stage extinction, carbon dioxide or dry chemical powder.When a fire extends, fire is extinguished by a large amount of water spray.Do not discharge extinguishing waters into the aquatic environment.
- 5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 Evacuate personnel to safe area. Shut off all sources of ignition.
 No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.
- 6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up
In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth,etc.), and then wipe off the waste well with waste cloth, and rag.
In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions	for sa	fe hand	lling
------------------	--------	---------	-------

Advice on safe handling	:	Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage
areas and containers: Keep containers tightly closed and store in a cool and dry place.
Keep away from heat and flame,ignition source and sunlight.
Keep out of the reach of children.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ACGIH (2013)		
Ethanol	STEL	1000ppm
1-methoxypropan-2-ol	TWA	50 ppm
OSHA PEL		
Ethanol	TWA	1000ppm
Canada Ontario Provincial		
Ethanol	STEL	1000ppm
1-methoxypropan-2-ol	TWA	100 ppm
Canada Quebec Provincial		
Ethanol	TWA	1000ppm
1-methoxypropan-2-ol	TWA	100 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection	:	: Use with local exhaust ventilation, when in long use.		
		Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.		
Hand Protection	:	Avoid contact with hands. Wear safety gloves, if necessary.		
Eye Protection	:	Avoid contact with eyes. Wear safety glasses, if necessary.		
Skin Protection	:	Avoid skin contact. Wear personal protection apron, boots, if necessary.		

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [EPP_M.purple_b] 4/5

Environmental exposure controls

- General advice
- : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties : metallic purple liquid Appearance Odor : none pН : Not applicable Boiling point : No data available : 136.4 °F (58 °C) (closed cup) Flash point Not sustained combustibility ; Refer to section14 Relative Density (at 77 °F, 25 °C) \therefore 1.0 ~ 1.1 (g/cm³) Solubility in Water : soluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

- 10.3. Chemical stability
- The product is stable.
- 10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

- 10.5. Incompatible Materials
- No data available
- 10.6. Hazardous decomposition products
 - CO, CO_2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: LD/LC50 values that [Ethanol]	LD/LC50 values that are relevant for classification			
	Oral-rat	LD50	7,060mg/kg		
	Inhalation-rat	LC50	20,000ppm/10h		
	[1-methoxypropan-2-	ol]			
	Oral-rat	LD50	>5,000mg/kg		
	Dermal-rabbit	LD50	13,000mg/kg		
	Inhalation-rat	LC50	>7,559ppm/6h		
Carcinogenicity	•		y component that is considered CGIH, EPA, EU or NTP .		

SECTION 12: Ecological information

12.1. Ecotoxicity	: No data available
12.2. Persistence and degradability	: No data available
12.3. Bioaccumulative potential	: No data available
12.4. Mobility in soil	: No data available
12.5. Other adverse effects	: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

SECTION 14: Transport information						
14.1. UN number	DOT, TDG, IMO / IMDG, IATA / ICAO	:	none			
14.2. UN proper shipping name	DOT, TDG, IMO / IMDG, IATA / ICAO	:	none			
14.3. Transport hazard class(es)	DOT, TDG, IMO / IMDG, IATA / ICAO · Class · Label	:	none			
14.4. Packing group	DOT, TDG, IMO / IMDG, IATA / ICAO	:	none			
14.5. Environmental hazards	Marine pollutant	:	No			
14.6. Special precautions for user	EMS Number	:	none			
14.7. Transport in bulk according to MARPOL 73/78 and the IBC		:	Not applicable.			

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part III, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

 < USA Information > OSHA STATUS : This product is hazardous under 29 CFR 1910.1200.
 TSCA Hazard Communication Program (40 CFR Part 721) (SNUR) : not Listed EPCRA Section 302 Extremely Hazardous Substances (EHS) : not Listed EPCRA Section 313 Toxic Chemicals : not Listed CERCLA Hazardous Substances : not Listed CAA Section 112(r) List of Substances for Accidental Release Prevention : not Listed California Proposition 65 : not Listed

< Canada Information >

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Canada inventory : All components of this product are listed in the DSL/NDSL Inventory.

WHMIS Ingredient Disclosure List (SOR/88-64)

: Ethanol, 1-methoxypropan-2-ol

(WHMIS : Canadian Workplace Hazardous Material Information System)

29.05.2015

03.10.2013

SECTION 16: Other information, including date of preparation or last revision

Last Revision Date : Preparation Date :



EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC) This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.