

# Safety Data Sheet

Artline Xstamper

Revision Date : 18.05.2015

According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

### SECTION 1: Identification

IF ON SKIN (or hair)

| 1.1. Product identifier                   |   |                 |
|---|---|-----------------|
| Product Name                              | : TAT INDELIBLE INK (Quick Dry) Multipurpose Color : (Green)<br>STSG, STSG-1(Small bottle), STSG-3(Large bottle)  |                 |
| 1.2. Recommended us                       | e of the chemical and restrictions on use   |                 |
| Recommended use                           | e : Stamp ink   |                 |
| 1.3. Details of the supp                  | lier of the safety data sheet   | BERM ASSess     |
| Company Name                              | : Shachihata Inc. (U.S.A.)  | STSG REAL SEC.  |
| Address                                   | : 20775 S. Western Ave., Suite 105 Torrance, CA 90501 U.S.A.  |                 |
| Telephone                                 | : 1-800-541-9719  |                 |
| Fax<br>Contact (e-mail)                   | : 1-800-541-7166<br>: <u>customerservice@xstamper.com</u>   | E               |
|   |   |                 |
| 1.4. Emergency teleph                     |   | 1000            |
| CHEMTREC 1-                               |   |                 |
| (For Hazardous                            | materials or dangerous goods incident, Spill, leak, fire, exposure or accident)   |                 |
| SECTION 2: Hazard                         | (s) identification  |                 |
| United States (US)                        | : According to OSHA 29 CFR 1910.1200 HCS 2012   |                 |
| 2.1.1 Classification of t                 | he substance or mixture   |                 |
| Flammable liquids,                        | Category 3 H226 : Flammable liquid and vapour   |                 |
|   | e /eye irritation, Category 2B H320 : Causes eye irritation   |                 |
|   | In toxicity ; single exposure, Category 3 H335 : May cause respiratory irritation<br>/ tract irritation, narcotic effects) H336 : May cause drowsiness or dizzi |                 |
| 2.1.2 Label elements<br>Hazard pictograms |   |                 |
| Signal word                               | : Warning   |                 |
| Hazard statement                          | : Flammable liquid and vapour   | (H226)          |
|   | Causes eye irritation   | (H320)          |
|   | May cause respiratory irritation  | (H335)          |
|   | May cause drowsiness or dizziness   | (H336)          |
| Precautionary statem                      | ent   |                 |
| Keep away from he                         | at/sparks/open flames/hot surfaces No smoking.  | (P210)          |
| Take precautionary                        | measures against static discharge.  | (P243)          |
| Wear protective glo                       | ves/protective clothing/eye protection/face protection.   | (P280)          |
| -   | st/fume/gas/mist/vapours/spray.   | (P261)          |
| -   | or in a well-ventilated area.   | (P271)          |
| Wash hands thoro                          | ighly after handling.   | (P264)          |
| In case of fire                           | : Use dry chemical powder, form or carbon dioxide for extinction.   | (P370+P378)     |
| IF INHALED                                | : Remove victim to fresh air and keep at rest in a position comfortable for breathing.  | (P304+P340)     |
| IF IN EYES                                | : Rinse cautiously with water for several minutes.  | (P305+P351+P338 |
|   | Remove contact lenses, if present and easy to do. Continue rinsing.   |                 |
| If eye irritation pers                    | ists : Get medical advice/attention.  | (P337+P313)     |
|   |   |                 |

: Remove/Take off immediately all contaminated clothing.

(P303+P361+P353)

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [STSG\_green\_c] 2/5

|                            | Rinse skin with water/shower.                                  |                  |
|----------------------------|--|------------------|
| If skin irritation occurs  | : Get medical advice/attention.                                | (P332+P313)      |
| IF SWALLOWED               | : Get medical advice/attention if you feel unwell.Rinse mouth. | (P301+P314+P330) |
| [Storage]                  |  |                  |
| Store in a well-ventilated | place. Keep container tightly closed.                          | (P403+P233)      |
| [Disposal]                 |  |                  |
| Dispose of contents/cont   | ainer to waste in accordance with                              | (P501)           |
| local/regional/ nationa    | l/international regulation (to be specified).                  |                  |
|                            |  |                  |

#### 2.1.3 Other hazards

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

#### Canada : According to WHMIS

- 2.2.1 Classification of the substance or mixture
  - Class B2 : Flammable Liquids
  - Class D2B : Eye irritation
- 2.2.2 Label elements



#### 2.2.3 Other hazards

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS)

#### 2.3 Other information



### SECTION 3: Composition/information on ingredients

Substance/Mixture : Mixture Ingredients :

| Chemical Name /                 | Composition | CAS          | Classification (OSHA HCS 2012)          |                      |
|---------------------------------|-------------|--------------|---|----------------------|
| Generic name                    | weight %    | Registry No. | Hazard Class                            | Hazard statement     |
| 1-ethoxypropan-2-ol             | 50 ~ 60     | 1569-02-4    | Flam.Liq.3<br>Eye Irrit.2B<br>STOT.SE.3 | H226<br>H320<br>H336 |
| (2-methoxymethylethoxy)propanol | 20 ~ 30     | 34590-94-8   | Flam.Liq.4<br>STOT.SE.3                 | H227<br>H335         |
| Synthetic resin                 | 10 ~ 20     | Confidential | none                                    | none                 |
| Organic Pigment                 | 1 ~ 10      | Confidential | none                                    | none                 |
| total                           | 100         |              |   |                      |

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

| IF INHALED   | : Remove victim to fresh air and keep at rest in a position comfortable for breathing.<br>Consult a doctor if symptoms persist.  |
|--------------|--|
| IF ON SKIN   | : Remove/Take off immediately all contaminated clothing.Wash with soap and water.<br>If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.             |
| IF IN EYES   | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists, get medical advice/attention.      |
| IF SWALLOWED | : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient |

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [STSG\_green\_c] 3/5

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

Note to Physicians :

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

### SECTION 5: Fire-fighting measures

5.1. Extinguishing media
 Suitable extinguishing media
 Dry chemical powder, foam or carbon dioxide
 Unsuitable extinguishing media
 Water jet

- 5.2. Special hazards arising from the substance or mixtureFor initial stage extinction, carbon dioxide or dry chemical powder.When a fire extends, fire is extinguished by a large amount of water spray.Do not discharge extinguishing waters into the aquatic environment.
- 5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

### SECTION 6: Accidental release measures

| 6.1. Personal precautions, protective | equipment and emergency         | procedures                   |
|---------------------------------------|---------------------------------|------------------------------|
| Evacuate personnel to safe area. She  | ut off all sources of ignition. |                              |
| No Flares, smoking or flame in area.  | Put on protective equipment.    | Ensure adequate ventilation. |
| 6.2 Environmental pressutions         |                                 |                              |

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up
In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth,etc.), and then wipe off the waste well with waste cloth, and rag.
In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like.

### SECTION 7: Handling and storage

| 7.1. Precautions for safe | handling  |
|---------------------------|---|
| Advice on safe handling   | : Use with adequate ventilation.  |
|                           | Avoid contact with skin, eyes and clothing.                               |
|                           | Obtain special instructions before use.                                   |
|                           | Do not handle until all safety precautions have been read and understood. |
|                           | Do not eat, drink or smoke when using this product.                       |
|                           | torage, including any incompatibilities                                   |

Requirements for storage: Keep containers tightly closed and store in a cool and dry place.areas and containersKeep away from heat and flame,ignition source and sunlight.Keep out of the reach of children.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters ACGIH (2013) (2-methoxymethylethoxy)propanol TWA 100ppm OSHA PEL (2-methoxymethylethoxy)propanol TWA 100ppm Canada Ontario Provincial (2-methoxymethylethoxy)propanol TWA 100ppm Canada Quebec Provincial (2-methoxymethylethoxy)propanol TWA 100ppm

#### 8.2. Exposure controls

P

| ersonal protective equipment |  |  |  |
|------------------------------|--|--|--|
|                              |  |  |  |
| if necessary.                |  |  |  |
|                              |  |  |  |
|                              |  |  |  |
| į                            |  |  |  |

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [STSG\_green\_c] 4/5

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance                          | : green liquid                   |
|-------------------------------------|----------------------------------|
| Odor                                | : minor solvent odor             |
| рН                                  | : Not applicable                 |
| Boiling point                       | : No data available              |
| Flash point                         | : 105.8 °F (41 °C) (closed cup)  |
| Relative Density (at 77 °F , 25 °C) | : 1.0 ~ 1.1 (g/cm <sup>3</sup> ) |
| Solubility in Water                 | : Insoluble                      |

#### SECTION 10: Stability and reactivity

| 1 | 0.1. | Reactivity |
|---|------|------------|
|   |      |            |

No dangerous reaction known under conditions of normal use.

10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

- 10.3. Chemical stability
  - The product is stable.
- 10.4. Conditions to Avoid
- High temperature, Direct sunlight, Fire
- 10.5. Incompatible Materials
  - No data available
- 10.6. Hazardous decomposition products

 $CO, CO_2$ 

### SECTION 11: Toxicological information

| 11.1. Information on toxicological e | ffects   |                                   |  |
|--------------------------------------|--|-----------------------------------|--|
| Acute toxicity                       | : LD/LC50 values t                             | hat are relevant fo               | or classification                        |
|                                      | [1-ethoxypropan-                               | 2-ol]                             |  |
|                                      | Oral-rat                                       | LD50                              | >5,000mg/kg                              |
|                                      | Inhalation-rat                                 | LC50                              | >10,000ppm/4H                            |
|                                      | Dermal-rabbit                                  | LD50                              | 9ml/kg                                   |
|                                      | [(2-methoxymethy                               | ylethoxy)propanol                 | ]  |
|                                      | Oral-rat                                       | LD50                              | 5,180mg/kg                               |
|                                      | Dermal-rabbit                                  | LD50                              | 9,500mg/kg                               |
| Serious eye damage /eye irritation   | : Category 2B                                  | Causes eye irrita                 | ition                                    |
| Specific target organ toxicity       | : Category 3                                   | May cause respi<br>May cause drow | ratory irritation<br>siness or dizziness |
| 0,                                   | oduct does not contain<br>n carcinogen by IARC |                                   |  |

### SECTION 12: Ecological information

| 12.1. Ecotoxicity                   | : No data available                                 |
|-------------------------------------|---|
| 12.2. Persistence and degradability | : No data available                                 |
| 12.3. Bioaccumulative potential     | : No data available                                 |
| 12.4. Mobility in soil              | : No data available                                 |
| 12.5. Other adverse effects         | : No known significant effects or critical hazards. |

### SECTION 13: Disposal considerations

13.1. Waste treatment methods Disposal must be made according to official regulations. Comply with all Federal, State, and Local regulations regarding disposal. [ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [STSG\_green\_c] 5/5

Do not allow product to reach ground, any water course or sewage system.

| SECTION 14: Transport info                                      | rmation   |                                  |   |
|---|---|----------------------------------|---|
| 14.1. UN number   | DOT, TDG, IMO / IMDG, IATA / ICAO                       | : UN1210                         |   |
| 14.2. UN proper shipping name                                   | DOT, TDG, IMO / IMDG, IATA / ICAO                       | : PRINTING INK,flammable         |   |
| 14.3. Transport hazard class(es)                                | DOT, TDG, IMO / IMDG, IATA / ICAO<br>· Class<br>· Label | :<br>3 (Flammable liquids.)<br>3 |   |
| 14.4. Packing group   | DOT, TDG, IMO / IMDG, IATA / ICAO                       | : II                             | • |
| 14.5. Environmental hazards                                     | Marine pollutant  | : No                             |   |
| 14.6. Special precautions for user                              | EMS Number  | : F-E,S-D                        |   |
| 14.7. Transport in bulk according t<br>MARPOL 73/78 and the IBC |   | : Not applicable.                |   |
| ECTION 15: Regulatory info                                      | ormation  |                                  |   |
| < USA Information >   |   |                                  |   |
| OSHA STATUS : This product                                      | is hazardous under 29 CFR 1910.1200.                    |                                  |   |

TSCA inventory : All components of this product are listed in the TSCA Inventory.

| TSCA Hazard Communication Program (40 CFR Part 721) (SNUR)              | : not Listed |
|---|--------------|
| EPCRA Section 302 Extremely Hazardous Substances (EHS)                  | : not Listed |
| EPCRA Section 313 Toxic Chemicals                                       | : not Listed |
| CERCLA Hazardous Substances   | : not Listed |
| CAA Section 112(r) List of Substances for Accidental Release Prevention | : not Listed |
| California Proposition 65   | : not Listed |
|   |              |

#### < Canada Information >

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Canada inventory : All components of this product are listed in the DSL/NDSL Inventory.

WHMIS Ingredient Disclosure List (SOR/88-64) (WHMIS : Canadian Workplace Hazardous Material Information System) : 1-ethoxypropan-2-ol (2-methoxymethylethoxy)propanol

#### SECTION 16: Other information, including date of preparation or last revision

Last Revision Date : 18.05.2015

Preparation Date : 02.10.2013



EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC) This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.