

Safety Data Sheet



According to OSHA 29 CFR 1910.1200 HCS & Canada WHMIS

Revision Date : 14.05.2015

| SECTION 1: Identification | |
|--|--|
| 1.1. Product identifier Product Name : Xstamper Refill Ink Color : (Brown) CS-10N, CS-20N, CS-60N (Y-30 ink) Xstamper Products Dyestuff type Xstamper CX-AN,CX-BN,CX-GN,CX-FN,CA-2N,CA-3N,etc. | International Action of the second seco |
| 1.2. Recommended use of the chemical and restrictions on use Recommended use : Stamp ink 1.3. Details of the supplier of the safety data sheet Company Name : Shachihata Inc. (U.S.A.) Address : 20775 S. Western Ave., Suite 105 Torrance, CA 90501 U.S.A. Telephone : 1-800-541-9719 Fax : 1-800-541-7166 Contact (e-mail) : customerservice@xstamper.com | |
| 1.4. Emergency telephone number CHEMTREC 1-800-424-9300 (For Hazardous materials or dangerous goods incident, Spill, leak, fire, exposure or accident) | |
| SECTION 2: Hazard(s) identification | |
| United States (US) : According to OSHA 29 CFR 1910.1200 HCS 2012 | |
| 2.1.1 Classification of the substance or mixture Flammable liquids, Category 3 Serious eye damage /eye irritation, Category 2B 2.1.2 Label elements Hazard pictograms : : Note: This product does not need to be considered as flammat liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS. | |
| Signal word : Warning | |
| Hazard statement : Flammable liquid and vapour Causes eye irritation | (H226) (H320) |
| Precautionary statement [Prevention] Keep away from heat/sparks/open flames/hot surfaces No smoking. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. | (P210) (P243) (P280) |
| Wash hands thoroughly after handling. 【Response】 In case of fire the structure of the struc | (P264) (P370+P378) |
| IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing. | (P304+P340) |
| IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | (P305+P351+P338) |
| If eye irritation persists: Get medical advice/attention.IF SWALLOWED: Get medical advice/attention if you feel unwell.Rinse mouth. | (P337+P313) (P301+P314+P330) |

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [CS-20N_brown_e] 2/5

[Storage]

Store in a well-ventilated place. Keep container tightly closed. [Disposal]

Dispose of contents/container to waste in accordance with

local/regional/ national/international regulation (to be specified).

2.1.3 Other hazards

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

: According to WHMIS Canada


- 2.2.1 Classification of the substance or mixture
 - Class B2 : Flammable Liquids
 - Class D2B : Eye irritation
- 2.2.2 Label elements



2.2.3 Other hazards

In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS)

2.3 Other information



SECTION 3: Composition/information on ingredients

| Substance/Mixture:MixtureIngredients: | ure | | | |
|---------------------------------------|-------------|--------------|-------------------|------------------|
| Chemical Name / | Composition | CAS | Classification (C | SHA HCS 2012) |
| Generic name | weight % | Registry No. | Hazard Class | Hazard statement |
| Ethanol | 1 ~ 10 | 64-17-5 | Flam.Liq.2 | H225 |
| Derivative of vegetable oil | 45 ~ 55 | Confidential | none | none |
| 1,2-Propylene glycol | 5 ~ 15 | 57-55-6 | none | none |
| 2-(2-butoxyethoxy)ethanol | 5 ~ 15 | 112-34-5 | Eye Irrit.2A | H319 |
| Vegetable oil | 1 ~ 10 | Confidential | none | none |
| Synthetic resin | 1 ~ 10 | Confidential | none | none |
| Dyestuff | 10 ~ 20 | Confidential | none | none |
| total | 100 | | | |

SECTION 4: First-aid measures

4.1. Description of first aid measures

| IF INHALED | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist. |
|--------------|--|
| IF ON SKIN | : Remove/Take off immediately all contaminated clothing.Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice. |
| IF IN EYES | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists, get medical advice/attention. |
| IF SWALLOWED | : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient |

(P403+P233)

(P501)

[ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [CS-20N_brown_e] 3/5

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

Note to Physicians :

All treatments should be based on observed signs and symptoms of distress in the patient.

Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media
 Suitable extinguishing media
 Dry chemical powder, foam or carbon dioxide
 Unsuitable extinguishing media
 Water jet

- 5.2. Special hazards arising from the substance or mixtureFor initial stage extinction, carbon dioxide or dry chemical powder.When a fire extends, fire is extinguished by a large amount of water spray.Do not discharge extinguishing waters into the aquatic environment.
- 5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

| 6.1. Personal precautions, protective | equipment and emergency | procedures |
|---------------------------------------|---------------------------------|-----------------------------|
| Evacuate personnel to safe area. Sh | ut off all sources of ignition. | |
| No Flares, smoking or flame in area. | Put on protective equipment. | Ensure adequate ventilation |
| 6.2. Environmental precautions | | |

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up
In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth,etc.), and then wipe off the waste well with waste cloth, and rag.
In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.) and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

| 7.1. Precautions for safe handl Advice on safe handling | ing : Use with adequate ventilation. |
|--|---|
| | Avoid contact with skin, eyes and clothing. |
| | Obtain special instructions before use. |
| | Do not handle until all safety precautions have been read and understood. |
| | Do not eat, drink or smoke when using this product. |
| 7.2. Conditions for safe storage | e, including any incompatibilities |
| Requirements for storage | : Keep containers tightly closed and store in a cool and dry place. |
| areas and containers | Keep away from heat and flame, ignition source and sunlight. |

Keep out of the reach of children.

SECTION 8: Exposure controls/personal protection

| Et | oarameters IH (2013) thanol (2-butoxyethoxy)ethanol | STEL TWA | 1000ppm 10ppm |
|----|--|-------------|------------------|
| | A PEL | TWA | 1000ppm |
| Et | ada Ontario Provincial thanol 2-Propylene glycol | STEL TWA | 1000ppm 50ppm |
| | ada Quebec Provincial thanol | TWA | 1000ppm |

8.2. Exposure controls

Personal protective equipment

Respiratory Protection

: Use with local exhaust ventilation, when in long use. Avoid breathing vapours. Wear mask to prevent organic gas, if necessary. [ANSI Z400.1/Z129.1-2010][Shachihata Inc.] [CS-20N_brown_e] 4/5

- : Avoid contact with hands. Wear safety gloves, if necessary. Hand Protection Eye Protection
 - : Avoid contact with eyes. Wear safety glasses, if necessary.
- : Avoid skin contact. Wear personal protection apron, boots, if necessary. Skin Protection

Environmental exposure controls

General advice

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and ch Appearance | nemical properties : brown liquid |
|--|---|
| Odor | : none |
| рН | : Not applicable |
| Boiling point | : No data available |
| Flash point | : 101.3 °F (38.5 °C) (closed cup) Not sustained combustibility ; Refer to section14 |
| Relative Density (at 77 °F , 25 °C) | : 1.0 (g/cm ³) |
| Solubility in Water | : Insoluble |

SECTION 10: Stability and reactivity

10.1. Reactivity

- No dangerous reaction known under conditions of normal use.
- 10.2. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

- 10.3. Chemical stability
- The product is stable.
- 10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

- 10.5. Incompatible Materials
 - No data available
- 10.6. Hazardous decomposition products

 CO, CO_2

SECTION 11: Toxicological information

| .1. Information on toxicological ef | | | | f |
|-------------------------------------|---|--|------------------|--------------------|
| Acute toxicity | : | LD/LC50 values t | hat are relevant | for classification |
| | | [Ethanol] | | |
| | | Oral-rat | LD50 | 7,060mg/kg |
| | | Inhalation-rat | LC50 | 20,000ppm/10h |
| | | [2-(2-butoxyethox | y)ethanol] | |
| | | Oral-rat | LD50 | 5,660mg/kg |
| | | Dermal-rabbit | LD50 | 2,700mg/kg |
| Serious eye damage /eye irritation | : | Category 2B | Causes eye irrit | tation |
| Carcinogenicity | : | This product does not contain any component that is considered | | |
| | | a human carcinogen by IARC, ACGIH, OSHA or NTP . | | |

SECTION 12: Ecological information

| 12.1. Ecotoxicity | : No data available |
|-------------------------------------|---|
| 12.2. Persistence and degradability | : No data available |
| 12.3. Bioaccumulative potential | : No data available |
| 12.4. Mobility in soil | : No data available |
| 12.5. Other adverse effects | : No known significant effects or critical hazards. |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

| SECTION | 14: | Transport | information |
|---------|-----|-----------|-------------|
| | | | |

| 14.1. UN number | DOT, TDG, IMO / IMDG, IATA / ICAO | : | none |
|--|---|-----------------|------|
| 14.2. UN proper shipping name | DOT, TDG, IMO / IMDG, IATA / ICAO | : | none |
| 14.3. Transport hazard class(es) | DOT, TDG, IMO / IMDG, IATA / ICAO · Class · Label | : | none |
| 14.4. Packing group | DOT, TDG, IMO / IMDG, IATA / ICAO | : | none |
| 14.5. Environmental hazards | Marine pollutant | : | No |
| 14.6. Special precautions for user | EMS Number | : | none |
| 14.7. Transport in bulk according to MARPOL 73/78 and the IBC | : | Not applicable. | |

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part III, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

| < USA Information > | |
|---|--|
| OSHA STATUS : This product is hazardous under 29 CFR 1910.1200 |). |
| TSCA inventory : All components of this product are listed in the TSCA | A Inventory. |
| TSCA Hazard Communication Program (40 CFR Part 721) (SNUR) | : not Listed |
| EPCRA Section 302 Extremely Hazardous Substances (EHS) | : not Listed |
| EPCRA Section 313 Toxic Chemicals | : Listed (2-(2-butoxyethoxy)ethanol) |
| CERCLA Hazardous Substances | : not Listed |
| CAA Section 112(r) List of Substances for Accidental Release Prevention | : not Listed |
| California Proposition 65 | : not Listed |
| < Canada Information > | the Controlled Broducts Pogulations (CDP |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

Canada inventory : All components of this product are listed in the DSL/NDSL Inventory.

WHMIS Ingredient Disclosure List (SOR/88-64)

- (WHMIS : Canadian Workplace Hazardous Material Information System)
- : Ethanol , 1,2-Propylene glycol ,
- 2-(2-butoxyethoxy)ethanol

SECTION 16: Other information, including date of preparation or last revision

Last Revision Date : Preparation Date :

18.05.2015 02.10.2013



EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC) This product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.